




Safety Key Points for Trades



Safety Starts With Me

Demolition Worker

1. Before carrying out demolition work, ensure that all common utilities in the buildings (e.g. water, electricity and gas pipeline facilities) have been terminated.
2. The sequence and method of demolishing buildings shall meet the requirements set out in the approved drawings and method statement.
3. Do not stand in the “FATAL ZONE”, e.g. working area under demolition, closed to the floor openings of the building, the machine operation area and near floor edges.
4. Access to the demolition area via safe access. Do not climb on scaffold / temporary support.
5. The area under demolition shall be fenced off before work, and warning signage shall be displayed. Ensure that only associated workers are present with no entry to others.
6. Prior to oxyacetylene cutting work, the worker must first apply for a hot work permit and comply with relevant safety requirements for fire prevention.
7. In case substances suspected of asbestos are found, do not touch them and report to the site management for follow-up. Substances containing asbestos shall be removed by Registered Asbestos Contractor
8. Clear all waste materials and garbage as soon as possible. Do not store near floor edges or openings of the building to prevent the object from falling.
9. When working near the demolition area, personal protective equipment, such as safety helmets with chin straps, protective masks, eye protectors and ear protectors, shall be worn.
10. When working near floor edges or openings of the building, fall arrest system and equipment shall be used.
11. Floor edges, catch fan and access shall be cleaned on a regular basis.
No accumulation of concrete waste is allowed.



For more
Safety Information
Please scan QR Code



Copyright

All contents of this document belong to the Construction Industry Council (CIC) / Hong Kong Institute of Construction (HKIC) and are protected by copyright.

Disclaimer

Whilst reasonable efforts have been made to ensure the accuracy of the information contained in this document, the CIC/ HKIC nevertheless would encourage readers to seek appropriate independent advice from their professional advisers where possible and readers should not treat or rely on this publication as a substitute for such professional advice for taking any relevant actions. For any enquiry, please contact 2100 9000.